ELSEVIER

Volume 569, Numbers 1–2, 30 October 1998

Journal of Organometallic Chemistry

Contents

Special Issue: Dedicated to Professor Akira Nakamura

Introduction 1

Regular Papers

N-bonded enolatorhenium(I) complexes having dimethylphenylphosphine ligands as active key intermediates in catalytic Knoevenagel and Michael reactions
M. Hirano, M. Hirai, Y. Ito, T. Tsurumaki, A. Baba, A. Fukuoka and S. Komiya. 3

Dialkylchromium complexes bearing a hydrotris(3,5-dimethylpyrazolyl)borate ligand: synthesis and crystal structures of Tp^*CrMe_2(DMAP) and $Tp^*Cr(Cr(CH_2Ph)_2$(DMAP) (DMAP = 4-dimethylaminopyridine)
K. Mashima, T. Oshiki, K. Tani, T. Aoshima and H. Urata 15

Synthesis, molecular structure and theoretical considerations on $Mo(PhC{\equiv}CCOOEt)_3(PMe_3)$
C. Mealli, D. Masi, A. Galindo and A. Pastor 21

Reactions of $(\eta^6\text{-}C_6Me_6)$RuCl(MDMPP-*P*,*O*) and $(\eta^6\text{-}C_6Me_6)$RuCl(BDMPP-*P*,*O*,*O*) complexes with Lewis bases or alkynes, where MDMPP-*P*,*O*=$P(2\text{-}O\text{-}6\text{-}MeOC_6H_3)Ph_2$ and BDMPP-*P*,*O*,*O*=$P(2\text{-}O\text{-}6\text{-}MeOC_6H_3)_2\{2,6\text{-}(MeO)_2C_6H_3\}$
Y. Yamamoto, T. Tanase, C. Sudoh and T. Turuta 29

A new stable intermediary mode between η^3-2-aminoallyl complexes and metallacyclobutanimines. Synthesis and structural characteristic of η^3-azatrimethylenemethane and *N*-protonated, *N*-alkylated, *N*-arylated η^3-azatrimethylenemethane complexes of Pt and Pd
A.-J. Chen, C.-C. Su, F.-Y. Tsai, J.-J. Lee, T.-M. Huang, C.-S. Yang, G.-H. Lee, Y. Wang and J.-T. Chen 39

Reaction of $Cp^*(CO)_2Re{=}Re(CO)_2Cp^*$ in THF with diethyl fumarate produces $Cp^*Re(CO)_3$ and $Cp^*Re(CO)(\eta^2\text{-}(E)\text{-}EtO_2CCH{=}CHCO_2Et)$(THF)
C.P. Casey, R.S. Cariño, J.T. Brady and R.K. Hayashi 55

Stabilization of $[Ru(bpy)_2(CO)(\eta^1\text{-}CO_2)]$ and unprecedented reversible oxide transfer reactions from CO_3^{2-} to $[Ru(bpy)_2(CO)_2]^{2+}$ and from $[Ru(bpy)_2(CO)(\eta^1\text{-}CO_2)]$ to CO_2
H. Nakajima, K. Tsuge, K. Toyohara and K. Tanaka. 61

Specific C–C coupling of the labile diruthenium bridging methylene complex, $Cp_2Ru_2(\mu\text{-}CH_2)(CO)_2$(MeCN), with diazoalkanes ($R_2C{=}N_2$) leading to alkenyl complexes, $Cp_2Ru_2(\mu\text{-}CH{=}CR_2)(\mu\text{-}H)(CO)_2$, and alkenes, $CH_2{=}CR_2$
M. Akita, R. Hua, S.A.R. Knox, Y. Moro-oka, S. Nakanishi and M.I. Yates. 71

C–H activation by Grignard reagents: vinyl plus methylene coupling on iridium
Z.-Q. Wang and P.M. Maitlis 85

Synthesis, structure, and reactivity of cyclopentadienyl-free trimethylsilylmethyl yttrium di-tert-butylphenoxide complexes
W.J. Evans, R.N.R. Broomhall-Dillard and J.W. Ziller 89

Synthesis and reactivities of the indenyl-ruthenium cluster $[(\eta^5\text{-}C_9H_7)Ru(\mu\text{-}SEt)]_3$: indenyl effect in the trinuclear ruthenium cluster
T. Sato, M. Nishio, Y. Ishii, H. Yamazaki and M. Hidai. 99

Reactions of the tungsten tris-sulfido complex $[PPh_4][(\eta^5\text{-}C_5Me_5)WS_3]$ with $[M'(PPh_3)_2(NO_3)]$ (M′ = Cu(I), Ag(I)), [Au(PPh$_3$)Cl], and $[Pd(dppe)Cl_2]$: Isolation and structures of $[(\eta^5\text{-}C_5Me_5)WS_3Cu_3(PPh_3)_3(NO_3)][NO_3]$, $[\{(\eta^5\text{-}C_5Me_5)WS_3\}_2Ag_3(PPh_3)_3][NO_3]$, $[(\eta^5\text{-}C_5Me_5)WS_3Au(PPh_3)]$ and $[(\eta^5\text{-}C_5Me_5)WS_3Pd(dppe)]Cl$ (dppe = 1, 2-bis(diphenylphosphino)ethane)
J.-P. Lang, H. Kawaguchi and K. Tatsumi 109

Synthesis of 2-methylbenz[*f*]indene and $(\eta^5$-2-methylbenz[*f*]indenyl)rhodium dicarbonyl
P. Foster, M.D. Rausch and J.C.W. Chien 121

α-Hydrogen migration reactions in tungsten(VI) cyclopentadienyl alkylidyne complexes
T.H. Warren, R.R. Schrock and W.M. Davis. 125

Reductions of C=O and C=N groups with the systems composed of $(\eta^5\text{-}C_5H_5)_2MoH_2$ and acids
M. Minato, Y. Fujiwara, M. Koga, N. Matsumoto, S. Kurishima, M. Natori, N. Sekizuka, K.-i. Yoshioka and T. Ito 139

Synthesis of 2,6-dialkoxylphenyllanthanoid complexes and their polymerization catalysis
E. Ihara, Y. Adachi, H. Yasuda, H. Hashimoto, N. Kanehisa and Y. Kai 147

Ethylene polymerization catalysts based on nickel(II) 1,4-diazadiene complexes: the influence of the 1,4-diazadiene backbone substituents on structure and reactivity
T. Schleis, T.P. Spaniol, J. Okuda, J. Heinemann and R. Mülhaupt 159

The reaction of titanocene bis(ferrocenylacetylide) and bis(ruthenocenylacetylide) with silver cation: formation of bis(Ti-tweezers) silver complexes
Y. Hayashi, M. Osawa, K. Kobayashi, T. Sato, M. Sato and Y. Wakatsuki 169

Electronic structures of organometallic conjugated systems. Possibilities of molecular magnets, magnetic conductors and spin-mediated superconductors composed of metallocene units
T.-a. Okamura, Y. Takano, Y. Yoshioka, N. Ueyama, A. Nakamura and K. Yamaguchi 177

Two dinuclear rhodium complexes with a non-A-frame and a distorted A-frame skeleton and two $^iPr_2PCH_2P^iPr_2$ molecules as bridging ligands
H. Werner, M. Manger, M. Laubender, M. Teichert and D. Stalke 189

Synthesis of organometallic dendrimers with a backbone composed of platinum-acetylide units
N. Ohshiro, F. Takei, K. Onitsuka and S. Takahashi 195

Cationic η^3-allyl complexes. 21. Telomerization of buta-1,3-diene with Z–H compounds mediated by group 10 complexes
F. Bouachir, P. Grenouillet, D. Neibecker, J. Poirier and I. Tkatchenko 203

Addition of Group 4 bent metallocene cation complexes to (butadiene)zirconocene: the formation of dinuclear (μ-butadiene)bis(metallocene) cations
J. Schottek and G. Erker 217

Face-to-face fixed ferrocenes. Synthesis and properties of 2,10-diferrocenyl- and 2,5,7,10-tetraferrocenyl-1,6-methano[10]annulenes
M. Iyoda, T. Okabe, M. Katada and Y. Kuwatani 225

Author index 235
Subject index 237

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.